

SAFETY DATA SHEET



Revision Number 2
Revision Date: 05-April-2016

WD-7633 LATEX ADHESIVE

1. IDENTIFICATION

Product identifier

Mixture identification:

Trade name: WEATHERDEK 7633

Recommended use of the chemical and restrictions on use

Recommended use: Adhesive

Restrictions on use: N.A.

Details of the supplier of the safety data sheet

ADS Weatherdek Canada Ltd.

600 Adams Rd.

Kelowna B.C.

V1X 7S1

Emergency 24 hour numbers:

Company Phone Number 1-800-667-2596

Emergency Telephone Number CANUTEC 1-613-996-6666

2. HAZARDS IDENTIFICATION



Classification of the chemical

Muta. 1B May cause genetic defects if inhaled.

Carc. 1B May cause cancer if inhaled.

Symbols:



Danger

Code

H340.A

H350.A

Description

May cause genetic defects if inhaled.

May cause cancer if inhaled.

Code

P201

P202

P280

Description

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves/protective clothing/eye protection/face protection.

P308+P313 IF exposed or concerned: Get medical advice/attention.
 P405 Store locked up.
 P501.A Dispose of contents/container in accordance with applicable regulations.

Ingredient(s) with unknown acute toxicity:

None

Hazards not otherwise classified identified during the classification process:

None

This product contains crystalline silica (quartz sand). IARC has classified crystalline silica as a Group 1 carcinogen. Both IARC and NTP consider silica as a known human carcinogen. Evidence is based on the chronic and long-term exposure workers have had to respirable sized crystalline silica dust particles. Because this product is in liquid or paste form, it does not pose a dust hazard; therefore, this classification is not relevant. (Note: sanding of the hardened product may create a silica dust hazard)

3. COMPOSITION / INFORMATION ON INGREDIENTS**Substances**

N.A.

Mixtures

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

List of components

Quantity	Name	Ident. Numb.	Classification
0.49-1 %	Naphthenic oil	CAS:64742-95-6	Asp. Tox. 1, H304; Muta. 1B, H340; Carc. 1B, H350; Flam. Liq.3, H226
0.25-0.49 %	Silica Sand	CAS:14808-60-7	Carc. 1A, H350.A; STOT RE 1, H372A
0.1-0.25 %	Vinyl acetate	CAS:108-05-4	Flam. Liq. 2, H225; Acute Tox. 4, H332; Carc.2, H351; STOT SE3, H335; Aquatic Chronic 3, H412

4. FIRST AID MEASURES**Description of first aid measures**

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap. Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose of safely.

In case of eyes contact:

Wash immediately with water.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

Most important symptoms/effects, acute and delayed

N.A.

Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

5. FIRE FIGHTING MEASURES

Extinguishing media:

Suitable extinguishing media:

Water.

Carbon dioxide (CO₂).

Unsuitable extinguishing media:

None in particular.

Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: N.A.

Explosive properties: N.A.

Oxidizing properties: N.A.

Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Wash with plenty of water.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Exercise the greatest care when handling or opening the container.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.
See also section 8 for recommended protective equipment.

Conditions for safe storage, including any incompatibilities

Storage temperature: N.A.
Incompatible materials: None in particular.
Instructions as regards storage premises: Adequately ventilated premises.

8. EXPOSURE CONTROL / PERSONAL PROTECTION

Control parameters

List of components with OEL value

Component	OEL Type	Country	Long Term mg/m ³	Long Term ppm	Short Term mg/m ³	Short Term ppm	Behaviour	Note
Silica Sand	ACGIH		0,025					A2- Suspected Human Carcinogen; lung cancer; pulmonary fibrosis
Vinyl acetate	ACGIH			10		15		A3-Confirmed Animal Carcinogen with Unknown Relevance to Humans; CNS impairment; eye, skin and upper respiratory tract irritation;
	EU		17,6	5	35,2	10	Indicative	

Appropriate engineering controls: N.A.

Individual protection measures

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Use protective gloves that provide comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Use adequate protective respiratory equipment.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state: Liquid

Appearance and colour: Paste

Odour: Latex like

Odour threshold: N.A.

pH: 9.00

Melting point / freezing point: N.A.

Initial boiling point and boiling range: N.A.

Flash point: >93,3 °C (199,9 °F)

Evaporation rate: N.A.

Upper/lower flammability or explosive limits: N.A.

Vapour density: N.A.

Vapour pressure: N.A.

Relative density: N.A.
 Solubility in water: N.A.
 Solubility in oil: N.A.
 Partition coefficient (n-octanol/water): N.A.
 Auto-ignition temperature: N.A.
 Decomposition temperature: N.A.
 Viscosity: N.A.
 Explosive properties: N.A.
 Oxidizing properties: N.A.
 Solid/gas flammability: N.A.

Other information

Substance groups relevant properties: N.A.
 Miscibility: N.A.
 Fat Solubility: N.A.
 Conductivity: N.A.

10. STABILITY AND REACTIVITY

Reactivity

Stable under normal conditions

Chemical stability

Data not Available.

Possibility of hazardous reactions

None.

Conditions to avoid

Stable under normal conditions.

Incompatible materials

None in particular.

Hazardous decomposition products

None.

11. TOXOLOGICAL INFORMATION

Information on toxicological effects

Toxicological information of the mixture:

There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.

Toxicological information on main components of the mixture:

Naphthenic oil	a) acute toxicity	LD50 Skin Rabbit > 2000mg/kg LC50 Inhalation Rat = 3400ppm 4h
Silica Sand	a) acute toxicity	LD50 Oral Rat = 500mg/kg
Vinyl acetate	a) acute toxicity	LD50 Skin Rabbit = 2320mg/kg LC50 Inhalation Rat = 11400mg/m ³ 4h LD50 Oral Rat = 2920mg/kg

If not differently specified, the information required in the regulation and listed below must be considered as N.A.

- a) acute toxicity
- b) skin corrosion/irritation

- c) serious eye damage/irritation
- d) respiratory or skin sensitisation
- e) germ cell mutagenicity
- f) carcinogenicity
- g) reproductive toxicity
- h) STOT-single exposure
- i) STOT-repeated exposure
- j) aspiration hazard

Substance(s) listed on the IARC Monographs:

Silica Sand	Group 1
Vinyl acetate	Group 2B

Substance(s) listed as OSHA Carcinogen(s):

Silica Sand
Vinyl acetate

Substance(s) listed as NIOSH Carcinogen(s):

Silica Sand

Substance(s) listed on the NTP report on Carcinogens:

Silica Sand

12. ECOLOGICAL INFORMATION

Toxicity

Adopt good working practices, so that the product is not released into the environment.
Eco-Toxicological Information:

List of components with eco-toxicological properties

Quantity	Component	Ident. Numb.	Ecotox Infos
0.49-1%	Naphthenic oil	CAS: 64742-95-6	LC50 a) Aquatic acute toxicity Fish Oncorhynchus mykiss= 922mg/L 96h IUCLID EC50 a) Aquatic acute toxicity Daphnia Daphnia magna= 614mg/L 48h IUCLID LC50 G 5 Colinus virginianus> 6500ppm 5d IUCLID LD50 G 5 Colinus virginianus> 2250mg/kg IUCLID
0.25-0.49%	Silica Sand	CAS: 14808-60-7	LC50 a) Aquatic acute toxicity carp> 10000,00000mg/L 72h
0.1-0.25 %	Vinyl acetate	CAS: 108-05-4	LC50 a) Aquatic acute toxicity Fish Pimephales promelas= 14mg/L 96h EPA LC50 a) Aquatic acute toxicity Fish Lepomis macrochirus1504mg/L 96h EPA LC50 a) Aquatic acute toxicity Fish Poecilia reticulata261mg/L 96h EPA

Persistence and degradability

N.A.

Bioaccumulative potential

N.A.

Mobility in soil

N.A.

Other adverse effects

N.A.

13. DISPOSAL CONSIDERATIONS**Waste treatment method**

Waste must be handled in accordance with all federal, state, provincial, and local regulations. Consult authorities before disposal.

14. TRANSPORT INFORMATION**UN number**

ADR-UN number: N/A
DOT-UN Number: N/A
IATA-Un number: N/A
IMDG-Un number: N/A

UN proper shipping name

ADR-Shipping Name: N/A
DOT-Proper Shipping Name: N/A
IATA-Technical name: N/A
IMDG-Technical name: N/A

Transport hazard class(es)

ADR-Class: N/A
DOT-Hazard Class: N/A
IATA-Class: N/A
IMDG-Class: N/A

Packing group

ADR-Packing Group: N/A
DOT-Packing group: N/A
IATA-Packing group: N/A
IMDG-Packing group: N/A

Environmental hazards

Marine pollutant: No
Environmental Pollutant: N.A.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

N.A.

Special precautions

Department of Transportation (DOT):

DOT-Special Provision(s): N/A

DOT-Label(s): N/A

DOT-Symbol: N/A

DOT-Cargo Aircraft: N/A

DOT-Passenger Aircraft: N/A

DOT-Bulk: N/A

DOT-Non-Bulk: N/A

Road and Rail (ADR-RID):

ADR-Label: N/A

ADR-Label: N/A

ADR-Hazard identification number: N/A

ADR-Tunnel Restriction Code: N/A

Air (IATA):

IATA-Passenger Aircraft: N/A

IATA-Cargo Aircraft: N/A

IATA-Label: N/A

IATA-Subrisk: N/A

IATA-Erg: N/A

IATA-Special Provisions: N/A

Sea (IMDG):

IMDG-Stowage Code: N/A

IMDG-Stowage Note: N/A

IMDG-Subrisk: N/A

IMDG-Special Provisions: N/A

IMDG-Page: N/A

IMDG-Label: N/A

IMDG-EMS: N/A

IMDG-MFAG: N/A

15. REGULATORY INFORMATION**USA - Federal regulations****TSCA - Toxic Substances Control Act****TSCA inventory:**

All the components are listed on the TSCA inventory

TSCA listed substances:

Naphthenic oil	is listed in TSCA	Section 8b
Silica Sand	is listed in TSCA	Section 8b
Vinyl acetate	is listed in TSCA	Section 8b

SARA - Superfund Amendments and Reauthorization Act**Section 302 - Extremely Hazardous Substances:**

Vinyl acetate

Section 304 - Hazardous substances:

Vinyl acetate

Section 313 - Toxic chemical list:

Vinyl acetate

CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act

Substance(s) listed under CERCLA:

Vinyl acetate Reportable quantity: 5000 pounds

CAA - Clean Air Act

CAA listed substances:

Vinyl acetate is listed in CAA Section 112(b) - HAP, Section 112(b) -
HON

CWA - Clean Water Act

CWA listed substances:

Vinyl acetate is listed in CWA Section 311

USA - State specific regulations

California Proposition 65

Substance(s) listed under California Proposition 65:

Silica Sand Listed as carcinogen

Massachusetts Right to know

Substance(s) listed under Massachusetts Right to know:

Silica Sand
Vinyl acetate

Pennsylvania Right to know

Substance(s) listed under Pennsylvania Right to know:

Silica Sand
Vinyl acetate

New Jersey Right to know

Substance(s) listed under New Jersey Right to know:

Silica Sand
Vinyl acetate

Canada- Federal regulations

DSL - Domestic Substances List

DSL Inventory:

All the substances are listed in the DSL.

NDSL - Non Domestic Substances List

NDSL Inventory:

no substances listed

NPRI - National Pollutant Release Inventory

Substances listed in NPRI:

no substances listed

16. OTHER INFORMATION

Code	Description
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H340	May cause genetic defects .
H340.A	May cause genetic defects if inhaled.
H350	May cause cancer .
H350.A	May cause cancer if inhaled.
H351	Suspected of causing cancer .
H372.A	Causes damage to organs through prolonged or repeated exposure if inhaled.
H412	Harmful to aquatic life with long lasting effects

Safety Data Sheet dated: 4/5/2016 - version 2
Product code: 3253

Additional classification information

HEALTH	* 1
FLAMMABILITY	1
PHYSICAL HAZARD	0
PERSONAL PROTECTION	B



NFPA

HMIS Health: 1 = Slight
 HMIS Health - Is health hazard chronic?: Yes
 HMIS Flammability: 1 = Combustible if heated
 HMIS Reactivity: 0 = Minimal
 HMIS P.P.E.: Safety glasses, gloves
 NFPA Health: 1 = Slight
 NFPA Flammability: 1 = Combustible if heated
 NFPA Reactivity: 0 = Minimal
 NFPA Special Risk: NONE

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
IMDG:	International Maritime Code for Dangerous Goods.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
CLP:	Classification, Labeling, Packaging.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
INCI:	International Nomenclature of Cosmetic Ingredients.
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
DNEL:	Derived No Effect Level.
PNEC:	Predicted No Effect Concentration.
TLV:	Threshold Limiting Value.
TWATLV:	Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
WGK:	German Water Hazard Class.
KSt:	Explosion coefficient.

Paragraphs modified from the previous revision:

- 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING
- 2. HAZARDS IDENTIFICATION
- 3. COMPOSITION/INFORMATION ON INGREDIENTS
- 4. FIRST AID MEASURES
- 7. HANDLING AND STORAGE
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 9. PHYSICAL AND CHEMICAL PROPERTIES
- 11. TOXICOLOGICAL INFORMATION
- 12. ECOLOGICAL INFORMATION
- 14. TRANSPORT INFORMATION
- 15. REGULATORY INFORMATION
- 16. OTHER INFORMATION

END OF SAFETY DATA SHEET